TECHNOLOGIES	CUSTOMER	DATASHEE	- 1	Product Ma Transporta	anagement tion Europe
Central Article Code:	L01045C14-B		Crea	ted:	22/09/2005
Local Code:	EN 500		Modi	fied:	15/01/2019
	206±C,4		5-2		
		Final Outlook Approval date	L0114-B 01/06/2015		
PERF	FORMANCES		CONTA	INER	
PERF Voltage (V):	FORMANCES 12 V	Туре:	CONTA L01	NINER BLACK	
Voltage (V):	12 V 50.0 20 h	Hold Down:	L01 B13		
/oltage (V): C20 (Ah):	12 V		L01		
Voltage (V): C20 (Ah): Cranking (A):	12 V 50.0 20 h	Hold Down:	L01 B13	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge:	12 V 50.0 20 h 450 EN	Hold Down:	L01 B13 No	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Fechnology:	12 V 50.0 20 h 450 EN WET	Hold Down: H.D. Adapter: Type: Polarity:	L01 B13 No	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology:	12 V 50.0 20 h 450 EN WET Vented/Flooded	Hold Down: H.D. Adapter: Type: Polarity: Terminals:	L01 B13 No COV NPR ETN 0 EN taper p	BLACK ER BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology:	12 V 50.0 20 h 450 EN WET Vented/Flooded	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter	L01 B13 No COV NPR ETN 0 EN taper p : No	BLACK ER BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology:	12 V 50.0 20 h 450 EN WET Vented/Flooded	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI:	L01 B13 No COV NPR ETN 0 EN taper p T No No	BLACK ER BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology:	12 V 50.0 20 h 450 EN WET Vented/Flooded	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation:	L01 B13 No COV NPR ETN 0 EN taper p No No Central	BLACK ER BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: <b>STD.</b>	12 V 50.0 20 h 450 EN WET Vented/Flooded Ca/Ca	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI:	L01 B13 No COV NPR ETN 0 EN taper p No No Central 2 Filters Standard	BLACK ER BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: <b>STD.</b> Length (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca DIMENSIONS   207 207	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter:	L01 B13 No COV NPR ETN 0 EN taper p No Central 2 Filters Standard shape	BLACK ER BLACk oost	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: Grid: <b>STD.</b> Length (mm ± 2): Width (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca Ca/Ca   DIMENSIONS 207   175 175	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter: Lateral Plug:	L01 B13 No COV NPR ETN 0 EN taper p No No Central 2 Filters Standard shape PLU	BLACK ER BLACk oost Right side	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: Grid: <b>STD.</b> Length (mm ± 2): Width (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca DIMENSIONS   207 207	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter:	L01 B13 No COV NPR ETN 0 EN taper p No Central 2 Filters Standard shape PLU (Mani	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Fechnology: Grid: <b>STD.</b> Length (mm ± 2): Width (mm ± 2): Height (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca Ca/Ca   DIMENSIONS 207   175 175	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter: Lateral Plug:	L01 B13 No COV NPR ETN 0 EN taper p No No Central 2 Filters Standard shape PLU	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: Srid: <b>STD.</b> Length (mm ± 2): Width (mm ± 2): Height (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca Ca/Ca   DIMENSIONS 207   175 190	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter: Lateral Plug:	L01 B13 No COV NPR ETN 0 EN taper p No Central 2 Filters Standard shape PLU (Mani HAND	BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid: Srid: <b>STD.</b> Length (mm ± 2): Width (mm ± 2): Height (mm ± 2):	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca Ca/Ca   DIMENSIONS 207   175 190	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter: Lateral Plug: Type: 1 x NPR	L01 B13 No COV NPR ETN 0 EN taper p No Central 2 Filters Standard shape PLU (Mani HAND (Thin)	BLACK ER BLACK oost Right side GS BLACK DLES BLACK	
Voltage (V): C20 (Ah): Cranking (A): Charge: Technology: Grid:	12 V   50.0 20 h   450 EN   WET Vented/Flooded   Ca/Ca Ca/Ca   DIMENSIONS 207   175 190	Hold Down: H.D. Adapter: Type: Polarity: Terminals: Terminal Adapter SOCI: Ventilation: Filter: Lateral Plug: Type: 1 x NPR	L01 B13 No COV NPR ETN 0 EN taper p No Central 2 Filters Standard shape PLU (Mani HAND (Thin)	BLACK ER BLACK oost Right side GS BLACK DLES BLACK	

This document includes confidential data, is not contractual and could be changed without notice. Any use, copy or distribution has to be authorised in writing by EXIDE Technologies.